

Molecular Combinator Reference Manual

UPIM Report 2
Technical Report UT-CS-02-489

Bruce J. MacLennan*

Department of Computer Science
University of Tennessee, Knoxville
www.cs.utk.edu/~mclennan

November 5, 2002

Abstract

This report contains, in summary form, definitions, schematic reactions, and equivalences of all combinators in use by this project. It will be updated as new combinators, equivalences, etc. are used.

*This research is supported by Nanoscale Exploratory Research grant CCR-0210094 from the National Science Foundation. It has been facilitated by a grant from the University of Tennessee, Knoxville, Center for Information Technology Research. This report may be used for any non-profit purpose provided that the source is credited.

Introduction

1. Most of the combinator definitions and equivalences (beyond those peculiar to molecular computation, such as R, D, and V) are from Curry and Feys [CFC58].
2. We follow the usual convention in combinatory logic of omitting parentheses that associate to the left. For example, XYZ means $((XY)Z)$, and $B(BW(BC))(BB(BB))$ means $((B((BW)(BC)))((BB)(BB)))$.
3. In the definitions of the operators, variables are marked with primes (e.g., X') and parenthesized superscripts (e.g., $X^{(4)}$) to indicate shared complexes. See the description of the V (Sharing) Primitive (Section 17).
4. Notice that the following are distinct and have different meanings: X^n (powers of combinators), X_n (polyadic combinators), $X^{(n)}$ (sharing), $X_{(n)}$ (deferred combinators), $X^{[n]}$ (left reduction), $X_{[n]}$ (polyadic extension); see **Other Notation** (p. 14). X_n is also used in the usual way to denote an element in a series X_1, X_2, X_3, \dots . When subscripts and superscripts of any kind are combined, the subscripts take precedence; thus Φ_n^m means $(\Phi_n)^m$.
5. The size $|X|$ of a nonprimitive combinator X is expressed in terms of the number of S, K, and A nodes that it contains. Since nonprimitive combinator definitions are binary trees, if they contain no other nodes besides S, K, and A, then the counts satisfy $A = S + K - 1$, and the total nodes are $T = 2A + 1 = 2(S + K) - 1$.
6. A combinator is called *regular* if it does not affect its first argument, thus,

$$FXY_1 \cdots Y_n \implies XZ_1 \cdots Z_m.$$

Most combinators (e.g., B, B', C, I, K, S, W, Y, Φ , Φ_n , Ψ) are regular.

Definitions of Combinators

1 A Primitive (Application Complex)

The application (A) complex represents the application of a combinator to its argument. The application of F to X , written FX , is represented by a molecular complex $UAFX$, in which the “operator” binding site of A is linked to F , the “operand” binding site is linked to X , and the “result” site is linked to U , the complex into which the result of FX will be linked.

All (or most) of the non-terminal (interior) nodes of a combinator tree are A nodes; the terminals (leaves) are primitive combinators (e.g., S and K). If the network is not a tree, but has shared nodes or cycles, then (most of) the non-terminal nodes are A and V (sharing) nodes. (We say “most” because later we may want to define additional interior node types.)

2 B Combinator (Elementary Composer)

Definition:

$$BXYZ \implies X(YZ) \quad (1)$$

Reduction to SK:

$$B = S(KS)K \quad (2)$$

Size: $2S + 2K + 3A = 7$ total.

Equivalences:

$$B = CB' \quad (3)$$

$$B = C(JIC)(JI) \quad (4)$$

$$B^n FGX_1 \cdots X_n \implies F(GX_1 \cdots X_n) \quad (5)$$

Notes: If F is regular (p. 2), $FXY_1 \cdots Y_n \implies XZ_1 \cdots Z_m$, then

$$BFGXY_1 \cdots Y_n \implies GXZ_1 \cdots Z_m.$$

That is, G is applied to the result of applying F to the arguments $XY_1 \cdots Y_n$.

3 B' Combinator (Permuting Composer)

Definition:

$$B'XYZ \implies X(ZY) \quad (6)$$

Equivalences:

$$B' = CB \quad (7)$$

Size: $7S + 6K + 12A = 25$ total.

4 C Combinator (Elementary Permutator)

Definition:



Equivalences:

$$C = B(BS) \quad (9)$$

$$C = S(BBS)(KK) \quad (10)$$

$$C = JC_*(JC_*)(JC_*) \quad (11)$$

Size: $5S + 4K + 8A = 17$ total (Def. 9).

5 C_{*} Combinator (Pure Permutator)

Definition:



Equivalences:



$$C_* = CI \quad (13)$$

$$C_* = JII \quad (14)$$

Size: $6S + 6K + 11A = 23$ total (Def. 13).

6 D Primitive (Elementary Deleter)

Reaction:



Notes: In Eq. 15, p represents any primitive combinator (e.g., S or K). Notice that in Eq. 17, a deletion cancels a replication in progress. However, in Eq. 18, a deletion does not affect a shared complex, except to cap the deleted sharing link.

Reaction Specification:

```
d: D, a: A, x, y, d': D, p: P, q: Q, q': Q.
d a, a_1 x, a_2 y, d' q', p q
=> (DeleteApplication)
    d x, d y, p a, a_1 q, a_2 q'.
```

```

d: D, u, r: R, x, p: P, p': P, q: Q, q': Q.
d r_1, u r_2, r x, p q, p' q'
=> (DeleteReplicator1)
    u x, p r_1, p' r_2, r q, d q'.

d: D, u, r: R, x, p: P, p': P, q: Q, q': Q.
d r_2, u r_1, r x, p q, p' q'
=> (DeleteReplicator2)
    u x, p r_1, p' r_2, r q, d q'.

d: D, u, v: V, x, p: P, q: Q.
d v_1, u v_2, v x, p q
=> (DeleteSharing1)
    p v_1, u v_2, v x, d q.

d: D, u, v: V, x, p: P, q: Q.
d v_2, u v_1, v x, p q
=> (DeleteSharing2)
    p v_2, u v_1, v x, d q.

d: D, pc: Prim, p: P, q: Q.
d pc, p q
=> (DeletePrimitive)
    p pc, d q.

```

Notes: In the last (DeletePrimitive) rule, ‘Prim’ stands for any primitive combinator. Therefore, at least at the present time, that rule must be repeated with ‘Prim’ replaced by each primitive combinator species in use (e.g., ‘K’, ‘S’).

7 | Combinator (Elementary Identifier)

Definition:

$$!X \implies X \quad (19)$$

Reduction to SK:

$$! = SKX \quad (20)$$

Size: $1S + 2K + 2A = 5$ total (taking $! = SKK$).

Equivalences:

$$! = CKX \quad (21)$$

$$! = WK \quad (22)$$

8 J Combinator

Definition:




9 K Combinator (Elementary Cancellator)


Definition:



Reaction:



Equivalences:



Reaction Specification:

```
a: A, b: A, k: K, d: D, q: Q, u, x, y.  
u a, a_1 b, b_1 k, b_2 x, a_2 y, d q  
=> (Kreaction)  
    u x, d a, a_1 b, b_1 k, b_2 q, a_2 y.
```

10 N Combinator (Inert Complex)

The N (inert) combinator is used when we want to prevent reduction, generally when we are intending to produce a static structure. For example, if the structure $FX_1 \cdots X_n$ is generated, then there is a risk that the reduction rules for F will destroy the structure. This is avoided by using the inert combinator, e.g. $NX_1 \cdots X_n$. Since it is inert, there are no reduction or reaction rules for it. Of course, in practice, there need not be just one inert combinator, and any molecular species that does enter into the computational reactions could be used.

11 P Primitive (Result Cap)


The result cap is inert; it is a place-holder for the “result” binding-site of any group.

12 Q Primitive (Argument Cap)

The argument cap is inert; it is a place-holder for the “argument” binding-site of any group (in particular, for the “operator” and “operand” sites of an A complex).

13 R Primitive (Elementary Replicator)

Reaction:



Notes: In Eq. 27, p represents any primitive combinator (e.g., S or K).

Reaction Specification:

```
r: R, a: A, u, v, x, y, r': R, a': A,
  p: P, p': P, p'': P, q: Q, q': Q, q'': Q.
u r_1, v r_2, r a, a_1 x, a_2 y,
  p r'_1, p' r'_2, r' q, p'' a', a'_1 q', a'_2 q''
=> (ReplicateApplication)
  u a, v a',
  a_1 r_1, a'_1 r_2,
  a_2 r'_1, a'_2 r'_2,
  r x, r' y,
  p q, p' q', p'' q''.

r: R, pc: Prim, u, v, pc': Prim, p: P, p': P, q: Q.
u r_1, v r_2, r pc, p q, p' pc'
=> (ReplicatePrimitive)
  u pc, v pc',
  p r_1, p' r_2, r q.
```


Notes: In the last (ReplicatePrimitive) rule, ‘Prim’ stands for any primitive combinator. Therefore, at least at the present time, that rule must be repeated with ‘Prim’ replaced by each primitive combinator species in use (e.g., ‘K’, ‘S’).

14 S Combinator (Elementary Formalizer, Replicating)

Definition:



Reaction:



Reaction Specification:

```
a: A, a': A, a'': A, s: S, r: R, p: P, p': P, q: Q,
  u, x, y, z.
```

```

u a, a_1 a', a'_1 a'', a''_1 s, a''_2 x, a'_2 y, a_2 z,
  p r_1, p' r_2, r q
=> (Sreaction)
  u a, a_1 a', a'_1 x, a'_2 r_1,
    a_2 a'', a''_1 y, a''_2 r_2,
    r z,
  p s, p' q.

```

Equivalences:

$$S = B(B(BW)C)(BB) \quad (31)$$

15 Š Combinator (Elementary Formalizer, Sharing)

Definition:

$$\check{S}XYZ \implies XZ'(YZ) \quad (32)$$

Reaction:

$$U\mathbf{A}_3\check{S}XYZ + P_2VQ \longrightarrow U\mathbf{A}(AX)(AY)VZ + PS + PQ \quad (33)$$

Reaction Specification:

```

a: A, a': A, a'': A, s: Ssh, v: V, p: P, p': P, q: Q,
  u, x, y, z.
u a, a_1 a', a'_1 a'', a''_1 s, a''_2 x, a'_2 y, a_2 z,
  p v_1, p' v_2, v q
=> (SharingSreaction)
  u a, a_1 a', a'_1 x, a'_2 v_1,
    a_2 a'', a''_1 y, a''_2 v_2,
    v z,
  p s, p' q.

```

Equivalences:

$$\check{S} = B(B(B\check{W})C)(BB) \quad (34)$$

Notes: See Sec. 19 for a discussion of this definition.

16 S_n Combinator (Polyadic Elementary Formalizer)

Definition:

$$S_nXY_1 \cdots Y_nX \implies XZ(Y_1Z) \cdots (Y_nZ) \quad (35)$$

Reduction to SK:

$$S_1 = S \quad (36)$$

$$S_{n+1} = BS_n \circ S \quad (37)$$

Size: $(5n - 4)S + 4(n - 1)K + 9(n - 1)A = 18(n - 1) + 1$ total for S_n .

Notes: S_n can be replicating or sharing depending on whether S or \check{S} is used in its recursive definition. If it is sharing, it produces the following structure:

$$\check{S}_n XY_1 \cdots Y_n Z \implies XZ^{(n)}(Y_1 Z^{(n-1)}) \cdots (Y_{n-1} Z')(Y_n Z) \quad (38)$$

Equivalences:

$$S_n = \Phi_{n+1}| \quad (39)$$

17 V Primitive (Sharing Complex)

The sharing primitive (V) is used for constructing non-tree structures, including cyclic structures. It is produced by sharing combinators such as \check{S} , \check{W} , and \check{Y} . Note that a V complex between a combinator and its arguments will block reduction of the combinator, so V complexes appear primarily in structured that are being treated as data.

Primes and parenthesized superscripts on variables are used to indicate informally the sharing of structures. Thus, if there is a single sharing complex above X , then the two links to it will be called X and X' . Notice that both will be “covered” by a sharing complex; if it is necessary to make this explicit, the two links will be written $X^{(0)}$ and X' . If one of these links is replaced by another sharing complex, then the original link and the two new ones will be called X , X' , X'' , and so forth. Obviously such a notation cannot capture all the possible structures of sharing complexes, but it allows the convenient expression of chains of V complexes, which is the most common case. To go beyond this, diagrams should be used.

18 W Combinator (Elementary Duplicator, Replicating)

Definition:

$$WXY \implies XYY \quad (40)$$

Equivalences:

$$W = CSI \quad (41)$$

$$W = S(CI) \quad (42)$$

$$W = SS(KI) \quad (43)$$

Size: $7S + 6K + 12A = 25$ total (Def. 41 or 42).

19 \check{W} Combinator (Elementary Duplicator, Sharing)

Definition:

$$\check{W}XY \implies XY'Y \quad (44)$$

Reduction to SK:

$$\check{W}_{12} = C\check{S}I \quad (45)$$

$$\check{W}_{21} = \check{S}(CI) \quad (46)$$

$$\check{W}_{12} = S\check{S}(KI) \quad (47)$$

Notes: \check{W}_{12} and \check{W}_{21} are two variants, functionally equivalent to \check{W} , but producing differently ordered links to the sharing (V) complex (see Equivalences below). In the absence of subscripts, we will take \check{W} to be \check{W}_{12} , since it is a little more convenient to use. Definition 47 is not very useful, because it needlessly begins replication of the first argument of \check{W}_{12} .

Notice that either \check{W} or \check{S} may be taken as a primitive sharing operation, since either can be defined in terms of the other. At this time, it looks as though \check{S} will be the best choice as a primitive, so \check{W} will be defined by Eq. 45 or 46.

Reaction:

$$UA_2\check{W}XY + P_2VQ \longrightarrow UA_2XVY + P\check{W} + PQ \quad (48)$$

Reaction Specification:

```
w: Wsh, a: A, a': A, u, x, y, v: V, p: P, p': P, q: Q.
u a, a_1 a', a'_1 w, a'_2 x, a_2 y, p v_1, p' v_2, v q
=> (SharingWreaction)
    u a, a_1 a', a'_1 x, a'_2 v_1, a_2 v_2, v y, p' w, p q.
```

Equivalences:

$$\check{W}_{12}XY \implies XY'Y \quad (49)$$

$$\check{W}_{21}XY \implies XYY' \quad (50)$$

$$\check{W}_{12}^nXY \implies X\underbrace{Y^{(n)} \dots Y''Y'}_{n+1} \quad (51)$$

Notes: The primes and superscripts on Y in Eq. 51 represent successive sharings of Y (see Sec. 17).

20 W_* Combinator (Pure Duplicator)

Definition:

$$W_*X \implies XX \quad (52)$$

Equivalences:

$$W_* = WI \quad (53)$$

Size: $8S + 8K + 15A = 31$ total.

21 Y Combinator (Elementary Fixed-point, Replicating)

Definition:

$$YF \implies X(YX) \quad (54)$$

Reduction to SK:

$$Y = SSK(S(K(SS(S(SSK)))))K \quad (55)$$

Size: $8S + 4K + 11A = 23$ total.

Equivalences:

$$Y = WS(BWB) \quad (56)$$

$$Y = SSI(SB(K(SII))) \quad (57)$$

$$Y = ZZ \text{ where } Z = W(B(SI)) \quad (58)$$

$$Y = WI \circ W \circ B \quad (59)$$

Notes: Definition 55 by John Tromp [LV97] may be the shortest definition in terms of SK (12 combinators). Definitions by Curry and Turing are longer (18 and 20, respectively).

22 Ÿ Combinator (Elementary Fixed-point, Sharing)

Definition:

$$\check{Y}X \implies y \text{ where } y = Fy' \quad (60)$$

Reaction:

$$UA\check{Y}X + P_2VQ \longrightarrow UVAX + P\check{Y} + PQ \quad (61)$$

Reaction Specification:

```

y: Ysh, a: A, v: V, x, p: P, p': P, q: Q.
u a, a_1 y, a_2 x, p v_1, p' v_2, v q
=> (SharingYreaction)
  u v_1, v a, a_1 x, a_2 v_2, p' y, p q.

```

Notes: The following illustrates the self-sharing cycle created by $\check{Y}F$:

$$\begin{aligned}
 \check{Y}F &= y \\
 &= Fy' \\
 &= F(Fy')' \\
 &= F(F'y'') \\
 &= F(F'(Fy'')) \\
 &= F(F'(F''y''')) \\
 &\vdots \\
 &= F(F'(F''(F'''(F^{(4)}(F^{(5)}\dots))))))
 \end{aligned}$$

Of course, it is the A complex that is shared, not F , as the notation suggests.

23 Z Combinators (Iterators or Church Numerals)

Definition:

$$Z_0 = KI \quad (62)$$

$$Z_{n+1} = SBZ_n \quad (63)$$

Size: $(3n + 1)S + (2n + 3)K + (5n + 3)A = 10n + 7$ total for Z_n .

Equivalences:

$$Z_n X = X^n \quad (64)$$

$$Z_{m+n} = \Phi B Z_m Z_n \quad (65)$$

$$Z_{mn} = Z_m \circ Z_n \quad (66)$$

$$Z_{n^m} = Z_m Z_n \quad (67)$$

24 Φ Combinator (Dyadic Compositor)

Definition:

$$\Phi XYZU \implies X(YU)(ZU) \quad (68)$$

Equivalences:

$$\Phi = B(BS)B \quad (69)$$

$$\Phi^n FG H X_1 \cdots X_n \implies F(GX_1 \cdots X_n)(HX_1 \cdots X_n) \quad (70)$$

Size: $7S + 6K + 12A = 25$ total (Def. 69).

25 Φ_n Combinator (Polyadic Compositor)

Definition:

$$\Phi_n XY_1 \cdots Y_n Z \implies X(Y_1 Z) \cdots (Y_n Z) \quad (71)$$

Reduction to SK:

$$\Phi_n = S_n \circ K \quad (72)$$

Size: $(5n - 2)S + (4n - 1)K + (9n - 4)A = 18n - 7$ total for Φ_n .

Notes: Φ_n can be replicating or sharing ($\check{\Phi}_n$), depending on whether S_n or \check{S}_n is used in definition 72. If it is sharing, then the following structure is generated:

$$\check{\Phi}_n XY_1 \cdots Y_n Z \implies X(Y_1 Z^{(n-1)}) \cdots (Y_{n-1} Z')(Y_n Z) \quad (73)$$

Equivalences:

$$\Phi_{n+1} = BS_n \circ B \quad (74)$$

$$\Phi_n^m XY_1 \cdots Y_n Z_1 \cdots Z_m \implies X(Y_1 Z_1 \cdots Z_m) \cdots (Y_n Z_1 \cdots Z_m) \quad (75)$$

$$\Phi_{n+1}^m | XY_1 \cdots Y_n Z_1 \cdots Z_m \implies X Z_1 \cdots Z_m (Y_1 Z_1 \cdots Z_m) \cdots (Y_n Z_1 \cdots Z_m) \quad (76)$$

26 Ψ Combinator (Ψ Formalizer)

Definition:

$$\Psi XYUV \implies X(YU)(YV) \quad (77)$$

Reduction to SK:

$$\Psi = B(BW(BC))(BB(BB)) \quad (78)$$

Size: $26S + 24K + 49A = 99$ total.

Other Notation

27 Composition

Definition:

$$X \circ Y = BX Y \quad (79)$$

Size: $2S + 2K + 5A = 9$ total, plus $|X| + |Y|$.

Equivalences:

$$X \circ I = I \circ X = X \quad (80)$$

$$X \circ (Y \circ Z) = (X \circ Y) \circ Z \quad (81)$$

$$B(X \circ Y) = BX \circ BY \quad (82)$$

28 Powers

Definition:

$$X^0 = I \quad (83)$$

$$X^1 = X \quad (84)$$

$$X^{n+1} = X \circ X^n \quad (85)$$

$$(BX)^m = B(X^m) \quad (86)$$

Size: $2(n - 1)S + 2(n - 1)K + 5(n - 1)A = 9(n - 1)$ total, plus $n|X|$, for X^n , $n \geq 1$.

Equivalences:

$$X^m \circ X^n = X^{m+n} \quad (87)$$

$$(X^m)^n = X^{mn} \quad (88)$$

$$(BX)^m = B(X^m) \quad (89)$$

29 Deferred Combinators

Definition:

$$X_{(0)} = X \quad (90)$$

$$X_{(n+1)} = BX_{(n)} \quad (91)$$

$$(92)$$

Size: $2nS + 2nK + 4nA = 8n$ total, plus $|X|$, for $X_{(n)}$.

Equivalences:

$$F_{(n)} X_0 X_1 \cdots X_n \implies F(X_0 X_1 \cdots X_n) \quad (93)$$

$$X_{(m+n)} = \mathbf{B}^m X_{(n)} \quad (94)$$

Notes: If F is regular (p. 2), $FXY_1 \cdots Y_n \implies XZ_1 \cdots Z_m$, then

$$F_{(k)} GX_1 \cdots X_k Y_1 \cdots Y_n \implies GX_1 \cdots X_k Z_1 \cdots Z_m.$$

That is, $F_{(k)}$ defers the action of F by k steps. Since \mathbf{B} , \mathbf{C} , \mathbf{I} , \mathbf{K} , and \mathbf{W} are regular:

$$\mathbf{B}_{(n)} FX_1 \cdots X_n GY \implies FX_1 \cdots X_n (GY) \quad (95)$$

$$\mathbf{C}_{(n)} FX_1 \cdots X_n YZ \implies FX_1 \cdots X_n ZY \quad (96)$$

$$\mathbf{I}_{(n)} X_0 \cdots X_n \implies X_0 \cdots X_n \quad (97)$$

$$\mathbf{K}_{(n)} X_0 \cdots X_n Y \implies X_0 \cdots X_n \quad (98)$$

$$\mathbf{W}_{(n)} FX_1 \cdots X_n Y \implies FX_1 \cdots X_n YY \quad (99)$$

30 Left Reduction

Definition:

$$X_{[0]} = \mathbf{I} \quad (100)$$

$$X_{[1]} = X \quad (101)$$

$$X_{[n+1]} = \mathbf{B} X_{[n]} \circ X \quad (102)$$

Size: $4(n-1)\mathbf{S} + 4(n-1)\mathbf{K} + 9(n-1)\mathbf{A} = 17(n-1)$ total, plus $n|X|$, for $X_{[n]}$.

Equivalences:

$$F_{[n]} X_0 X_1 \cdots X_n \implies F(F \cdots (F(FX_0 X_1) X_2) \cdots X_{n-1}) X_n \quad (103)$$

$$F_{[n+1]} X_0 X_1 \cdots X_n \implies F_{[n]} (FX_0 X_1) X_2 \cdots X_n \quad (104)$$

$$X_{[n+1]} = \mathbf{B}^n X \circ \mathbf{B}^{n-1} X \circ \cdots \circ \mathbf{B}^2 X \circ \mathbf{B} X \circ X \quad (105)$$

$$X_{[n+1]} = X_{(n)} \circ X_{(n-1)} \circ \cdots \circ X_{(2)} \circ X_{(1)} \circ X_{(0)} \quad (106)$$

$$X_{[n+1]} = (\mathbf{C}\mathbf{B}^2 X)^n X \quad (107)$$

$$X_{[m+n]} = \mathbf{B}^m X_{[n]} \circ X_{[m]} \quad (108)$$

$$\mathbf{C}_{[n]} FX_1 \cdots X_n X_{n+1} \implies FX_{n+1} X_1 \cdots X_n \quad (109)$$

$$\mathbf{S}_{[n]} = \mathbf{S}_n \quad (110)$$

Notes: $F_{[n]}$ can be called a *left reduction* [Mac90]. To see this, write F in infix form, $Fxy = x \diamond y$ and assume \diamond associates to the left (so $x \diamond y \diamond z = (x \diamond y) \diamond z$). Then:

$$F_{[n]} x_0 x_1 \cdots x_n = x_0 \diamond x_1 \diamond \cdots \diamond x_n.$$

For F regular,

$$F_{[n]} = (\mathbf{C}\mathbf{B}^2 F) \mathbf{I} \quad (111)$$

31 Polyadic Extension

Definition:

$$X^{[0]} = \mathbf{I} \quad (112)$$

$$X^{[1]} = X \quad (113)$$

$$X^{[n+1]} = X \circ \mathbf{B} X^{[n]} \quad (114)$$

Size: $4(n-1)\mathbf{S} + 4(n-1)\mathbf{K} + 9(n-1)\mathbf{A} = 17(n-1)$ total, plus $n|X|$, for $X^{[n]}$.

Equivalences:

$$X^{[n+1]} = (\mathbf{B}^2 X \mathbf{B})^n X \quad (115)$$

$$\mathbf{C}^{[n]} F X_1 X_2 \cdots X_{n+1} \implies F X_2 \cdots X_{n+1} X_1 \quad (116)$$

Notes: If F is regular,

$$F^{[n]} = (\mathbf{B}^2 X \mathbf{B})^n \mathbf{I} \quad (117)$$

$$F^{[n+1]} = F \circ \mathbf{B} F \circ \cdots \circ \mathbf{B}^n F \quad (118)$$

$$F^{[n+1]} = F_{(0)} \circ F_{(1)} \circ \cdots \circ F_{(n)} \quad (119)$$

$$F^{[m+n]} = F^{[m]} \circ \mathbf{B}^m F^{[n]} \quad (120)$$

References

- [Bar84] H. P. Barendregt. *The Lambda Calculus: Its Syntax and Semantics*. North-Holland, Amsterdam, revised edition, 1984.
- [Bur75] William H. Burge. *Recursive Programming Techniques*. Addison-Wesley, Reading, 1975.
- [CFC58] H. B. Curry, R. Feys, and W. Craig. *Combinatory Logic, Volume I*. North-Holland, Amsterdam, 1958.
- [LV97] M. Li and P. M. B. Vitanyi. *An Introduction to Kolmogorov Complexity and its Applications*. Springer-Verlag, New York, second edition, 1997.
- [Mac84] Bruce J. MacLennan. Computable real analysis. Technical Report NPS52-84-024, Dept. of Computer Science, Naval Postgraduate School, 1984.
- [Mac90] Bruce J. MacLennan. *Functional Programming: Practice and Theory*. Addison-Wesley, Reading, 1990.