

## CS 420/527

### Biologically-Inspired Computation

Bruce MacLennan

## Contact Information

- Instructor: Bruce MacLennan  
[macleannan@utk.edu](mailto:macleannan@utk.edu)  
Min Kao 550  
Office Hours: 3:30–5:00 MWF (or make appt.)
- Teaching Assistant:  
Zahra Mahoor ([zmahoor@utk.edu](mailto:zmahoor@utk.edu))

2013/1/10

2

## CS 420 vs. CS 527

- CS 420: Undergraduate credit (but graduate students can count one 400-level course)
- CS 527: Graduate credit, additional work

(CS 527 is approved for the Interdisciplinary  
Graduate Minor in Computational Science)

2013/1/10

3

## Grading

- You will conduct a series of computer experiments, which you will write up
- Some of these will be run on off-the-shelf simulators
- Others will be run on simulators that you will program
- Graduate students will do additional experiments and mathematical exercises
- No exams

2013/1/10

4

## Prerequisites

- CS 420 & 527: None per se, but you will be required to write some simulations (in Java, C++, NetLogo, or whatever)
- CS 527: Basic calculus through differential equations, linear algebra, basic probability and statistics

2013/1/10



5

## Textbook

Flake, Gary William. *The Computational Beauty of Nature*. MIT Press, 1998

2013/1/10

6



- ### Reading for Next Week
- Flake: Ch. 1 (Introduction)
  - Flake: Ch. 15 (Cellular Automata)
- 2013/1/10 9

- ### Course Web Site
- [web.eecs.utk.edu/~mclennan/Classes/420](http://web.eecs.utk.edu/~mclennan/Classes/420) or [527](#)
  - Syllabus
  - Link to Flake *CBN* site (with errata, software, etc.)
  - Links to other interesting sites
  - Handouts:
    - assignments
    - slides in pdf format (revised after class)
  - Models (simulation programs)
- 2013/1/10 10

## B. Biologically-Inspired Computation

2013/1/10 11

- ### What is Biologically-Inspired Computation?
- Computer systems, devices, and algorithms based, more or less closely, on biological systems
  - *Biomimicry* applied to computing
  - Approximately synonymous with: natural computation, organic computing
- 2013/1/10 12

## Two Kinds of Computation Motivated by Biology

- Computation applied to biology
  - bioinformatics
  - computational biology
  - modeling DNA, cells, organs, populations, etc.
- Biology applied to computation
  - biologically-inspired computation
  - neural networks
  - artificial life
  - etc.

2013/1/10 13

## Natural Computation

- “Computation occurring in nature or inspired by that occurring in nature”
- Information processing occurs in natural systems from the DNA-level up through the brain to the social level
- We can learn from these processes and apply them in CS (bio-inspired computing)
- In practice, can't do one without the other

2013/1/10 14

## Biological Computation

- Refers to the use of biological materials for computation
  - e.g. DNA, proteins, viruses, bacteria
- Sometimes called “biocomputing”
- Goal: Biocomputers
- Bio-inspired computing need not be done on biocomputers

2013/1/10 15

## Why Do Bio-Inspired Computation?

- Biological systems are:
  - efficient
  - self-organizing
  - robust
  - self-repairing
  - adaptive
  - self-optimizing
  - flexible
  - self-protecting
  - parallel
  - self-\*
  - decentralized
  - etc.

2013/1/10 16

## Some of the Natural Systems We Will Study

- adaptive path minimization by ants
- synchronized firefly flashing
- wasp and termite nest building
- soft constraint satisfaction in spin glasses
- army ant raiding
- evolution by natural selection
- fish schooling and bird flocking
- game theory and the evolution of cooperation
- pattern formation in animal coats
- computation at the edge of chaos
- coordinated cooperation in slime molds
- information processing in the brain

2013/1/10 17

## Some of the Artificial Systems We Will Study

- artificial neural networks
- simulated annealing
- cellular automata
- ant colony optimization
- particle swarm optimization
- artificial immune systems
- genetic algorithms
- other evolutionary computation systems

2013/1/10 18

### C. Ants

*Think about the value of having computers, networks, and robots that could do these things.*

2013/1/10

19

### Why Ants?

- Ants are successful:
  - 30% of Amazon biomass is ants and termites
  - Dry weight of social insects is four times that of other land animals in Amazon
  - Perhaps 10% of Earth's total biomass
  - Comparable to biomass of humans
- Good sources:
  - Deborah Gordon: *Ants at Work* (1999)
  - B. Hölldobler & E. O. Wilson: *The Superorganism* (2009)

2013/1/10

20

### Intelligent Behavior of Harvester Ants

- Find shortest path to food
- Prioritize food sources based on distance & ease of access
- Adjust number involved in foraging based on:
  - colony size
  - amount of food stored
  - amount of food in area
  - presence of other colonies
  - etc.

2013/1/10

21

### Army Ants




- No permanent nest
- Create temporary "bivouacs" from bodies of workers
- Raiding parties of up to 200 000
- Act like unified entity

2013/1/10

22

### Army Ant Raiding Patterns




2013/1/10

from Solé & Goodwin, *Signs of Life*

23

### Coordination in Army Ant Colonies

- Timing:
  - nomadic phase (15 days)
  - stationary phase (20 days)
- Navigation in stationary phase
  - 14 raids
  - 123° apart



2013/1/10

24

### Collective Navigation

- Ants may use polarized sunlight to determine direction
- But army ants have single-facet eyes
  - most insects have multiple facet eyes
- Theory: the two facets of individual ants in group function collectively as a multiple facet eye

2013/1/10


25



### Weaver Ants



- Form chains of bodies to bridge gaps
- Others may cross these bridges
- Use chains to pull leaf edges together
- Connect edges with silk from larvae held by workers



2013/1/10

26

### Workers Bridging Gap



2013/1/10

27

### Adults Using Larvae as “Glue Guns”




2013/1/10

(fig. from *Self-Org. Biol.Sys.*)

28

### Fungus Cultivator Ants


- “Cultivate” fungi underground
- Construct “gardens”
- Plant spores
- Weed out competing fungi
- Fertilize with compost from chewed leaves



2013/1/10

29

### Fungus Cultivator Nest



2013/1/10

(fig. from AntColony.org)

30

### Leaf Cutting



- Leaves being cut by workers

2013/1/10

(fig. from AntColony.org)

31

### Transport of Cut Leaves




- Cut leaves are transported from source to nest along trails
- Some temporarily held in caches near the tree

2013/1/10

(fig. from AntColony.org)

32

### Transporting Cut Leaves to Nest



2013/1/10

(vid. from www.blueboard.com/leafcutters)

33

### Protection by Minims



- Small workers (minims) ride piggy-back
- Protect large workers from parasitic fly trying to lay eggs on head

2013/1/10

(fig. from AntColony.org)

34

### A Large Nest




- Two mounds, 50 cm in diameter
- Part of a single nest
- Foraging trail visible

2013/1/10

(fig. from AntColony.org)

35

### Nest Construction



- Several tons of earth may be removed by large colony

2013/1/10

(vid. from www.blueboard.com/leafcutters)

36


### Leaf Brought to Fungus Garden



- Leaf being brought to fungus garden in nest
- Leaf mulch is fed to fungus

2013/1/10 (fig. from AntColony.org) 37


### The Fungus Garden



- Fungus grows special nutritional structures
- Ant larvae and adults can eat these

2013/1/10 (fig. from AntColony.org) 38


### Queen in Fungus Garden



- Queen stays in fungus garden
- Lays eggs
- Hatched larvae eat fungus
- Larvae cared for by nurse workers

2013/1/10 (fig. from AntColony.org) 39

### Dump Chambers



- Dump chamber in lab
- In nature, may be 2m underground
- Contain:
  - waste leaf material
  - dead fungus
  - dead ants

2013/1/10 (fig. from AntColony.org) 40

### Maeterlinck on “White Ants” (Termites)

“What governs here? What is it that issues orders, foresees the future, elaborates plans, and preserves equilibrium, administers, and condemns to death?”

2013/1/10 41

### Emergent Aspects

- Colony size  $\sim 8 \times 10^6$   
*but no one is “in charge”!*
- Colony lifetime  $\sim 15$  years
- Colonies have a “life cycle”
  - older behave differently from younger
- But ants live no longer than one year
  - Males live one day!

2013/1/10 42

## How Do They Do It?

- Communication in Red Harvester Ants
- Good source: Deborah Gordon: *Ants at Work* (1999)



2013/1/10

(video from *Stanford Report*, April 2003) 43

## How do they do it?

- Semiochemically: deposit pheromones
  - 10-20 signs, many signal tasks
  - ants detect pheromone gradients and frequency of encounter
- Follow trails imperfectly
  - ⇒ exploration
- Feedback reinforces successful trails
  - ⇒ biased randomness

2013/1/10

44


## Demonstration: Simulation of Ant Foraging

[Run NetLogo Ant-Foraging](#)

2013/1/10

45

## Macro-Micro Feedback



- Global pattern emergent from total system
- Individuals respond to local field
- Also called circular causality

2013/1/10

fig. from Solé & Goodwin

46


## Stigmergy

- From στίγμα = pricking + ἔργον = work
- The project (work) in the environment is an instigation
- Agent interactions may be:
  - direct
  - indirect (time-delayed through environment)
- Mediates individual and colony levels

2013/1/10

47

## Stigmergy in termite nest building





2013/1/10

Fig. from EVALife

48





### Advantages of Stigmergy

- Permits simpler agents
- Decreases direct communication between agents
- Incremental improvement
- Flexible, since when environment changes, agents respond appropriately

2013/1/10 51

### Emergence

- The appearance of *macroscopic* patterns, properties, or behaviors
- that are not simply the “sum” of the *microscopic* properties or behaviors of the components
  - non-linear but not chaotic
- Macroscopic order often described by fewer & different variables than microscopic order
  - e.g. ant trails vs. individual ants
  - *order parameters*

2013/1/10 52

### D. Self-Organization

- Order may be imposed from outside a system
  - to understand, look at the external source of organization
- In *self-organization*, the order emerges from the system itself
  - must look at interactions within system
- In biological systems, the emergent order often has some adaptive purpose
  - e.g., efficient operation of ant colony

2013/1/10 53

### Why Self-Organization is Important for CS

- Fundamental to theory & implementation of massively parallel, distributed computation systems
- How can millions of independent computational (or robotic) agents cooperate to process information & achieve goals, in a way that is:
  - efficient
  - self-optimizing
  - adaptive
  - robust in the face of damage or attack

Part II

2013/1/10 54

### Additional Bibliography

1. Solé, Ricard, & Goodwin, Brian. *Signs of Life: How Complexity Pervades Biology*. Basic Books, 2000.
2. Bonabeau, Eric, Dorigo, Marco, & Theraulaz, Guy. *Swarm Intelligence: From Natural to Artificial Systems*. Oxford, 1999.
3. Gordon, Deborah. *Ants at Work: How an Insect Society Is Organized*. Free Press, 1999.
4. Hölldobler, B., & Wilson, E. O. *The Superorganism* (2009)
5. Johnson, Steven. *Emergence: The Connected Lives of Ants, Brains, Cities, and Software*. Scribner, 2001. A popular book, but with many good insights.

2013/1/10

Part II

55