


## B. Pattern Formation

2014/4/2 1


## Differentiation & Pattern Formation



- A central problem in development: How do cells differentiate to fulfill different purposes?
- How do complex systems generate spatial & temporal structure?
- CAs are natural models of intercellular communication


2014/4/2 photos ©2000, S. Cazamine 2

## Zebra



2014/4/2 figs. from Camazine & al.: *Self-Org. Biol. Sys.* 3

## Vermiculated Rabbit Fish




2014/4/2 figs. from Camazine & al.: *Self-Org. Biol. Sys.* 4

## Activation & Inhibition in Pattern Formation

- Color patterns typically have a characteristic length scale
- Independent of cell size and animal size
- Achieved by:
  - short-range activation  $\Rightarrow$  local uniformity
  - long-range inhibition  $\Rightarrow$  separation

2014/4/2 5

## Interaction Parameters



- $R_1$  and  $R_2$  are the interaction ranges
- $J_1$  and  $J_2$  are the interaction strengths

2014/4/2 6

### CA Activation/Inhibition Model

- Let states  $s_i \in \{-1, +1\}$
- and  $h$  be a bias parameter
- and  $r_{ij}$  be the distance between cells  $i$  and  $j$
- Then the state update rule is:

$$s_i(t+1) = \text{sign} \left[ h + J_1 \sum_{r_{ij} < R_1} s_j(t) + J_2 \sum_{R_1 \leq r_{ij} < R_2} s_j(t) \right]$$

2014/4/2 7

### Demonstration of NetLogo Program for Activation/Inhibition Pattern Formation: Fur

[RunAICA.nlogo](#)

➡

2014/4/2 8

### Example

$(R_1=1, R_2=6, J_1=1, J_2=-0.1, h=0)$

2014/4/2 9  
figs. from Bar-Yam

### Effect of Bias

$(h = -6, -3, -1; 1, 3, 6)$

2014/4/2 10  
figs. from Bar-Yam

### Effect of Interaction Ranges

2014/4/2 11  
figs. from Bar-Yam

### Differential Interaction Ranges

- How can a system using strictly local interactions discriminate between states at long and short range?
- E.g. cells in developing organism
- Can use two different *morphogens* diffusing at two different rates
  - activator diffuses slowly (short range)
  - inhibitor diffuses rapidly (long range)

2014/4/2 12

### Digression on Diffusion

- Simple 2-D diffusion equation:
 
$$\dot{A}(x, y) = D\nabla^2 A(x, y)$$
- Recall the 2-D Laplacian:
 
$$\nabla^2 A(x, y) = \frac{\partial^2 A(x, y)}{\partial x^2} + \frac{\partial^2 A(x, y)}{\partial y^2}$$
- The Laplacian (like 2<sup>nd</sup> derivative) is:
  - positive in a local minimum
  - negative in a local maximum

2014/4/2 13

### Reaction-Diffusion System

diffusion  $\frac{\partial A}{\partial t} = D_A \nabla^2 A + f_A(A, I)$  reaction

$\frac{\partial I}{\partial t} = D_I \nabla^2 I + f_I(A, I)$

$$\frac{\partial}{\partial t} \begin{pmatrix} A \\ I \end{pmatrix} = \begin{pmatrix} D_A & 0 \\ 0 & D_I \end{pmatrix} \begin{pmatrix} \nabla^2 A \\ \nabla^2 I \end{pmatrix} + \begin{pmatrix} f_A(A, I) \\ f_I(A, I) \end{pmatrix}$$

$$\dot{\mathbf{c}} = \mathbf{D}\nabla^2 \mathbf{c} + \mathbf{f}(\mathbf{c}), \text{ where } \mathbf{c} = \begin{pmatrix} A \\ I \end{pmatrix}$$

2014/4/2 14

### General Reaction-Diffusion System

$$\frac{\partial c_i}{\partial t} = \sum_{\alpha} k_{\alpha} \nu_{i\alpha} \left( \prod_{k=1}^n c_k^{m_{k\alpha}} \right) - \nabla \cdot \mathbf{j}_i$$

where  $\mathbf{j}_i = \bar{\mu}_i c_i - \text{div } \mathbf{D}_i c_i$  (flux)

where  $k_{\alpha}$  = rate constant for reaction  $\alpha$   
 and  $\nu_{i\alpha}$  = stoichiometric coefficient  
 and  $m_{k\alpha}$  = a non-negative integer  
 and  $\bar{\mu}_i$  = drift vector  
 and  $\mathbf{D}_i$  = diffusivity matrix

where  $\text{div } \mathbf{D} \mathbf{c} = \sum_j \mathbf{e}_j \sum_k D_{jk} \frac{\partial c_k}{\partial x_j}$

2014/4/2 15

### Framework for Complexity

- change = source terms + transport terms
- source terms = local coupling  
= interactions local to a small region
- transport terms = spatial coupling  
= interactions with contiguous regions  
= advection + diffusion
  - advection: non-dissipative, time-reversible
  - diffusion: dissipative, irreversible

2014/4/2 16

### Continuous-time Activator-Inhibitor System

- Activator  $A$  and inhibitor  $I$  may diffuse at different rates in  $x$  and  $y$  directions
- Cell becomes more active if activator + bias exceeds inhibitor
- Otherwise, less active

$$\frac{\partial A}{\partial t} = d_{Ax} \frac{\partial^2 A}{\partial x^2} + d_{Ay} \frac{\partial^2 A}{\partial y^2} + k_A (A + B - I)(1 - A)$$

$$\frac{\partial I}{\partial t} = d_{Ix} \frac{\partial^2 I}{\partial x^2} + d_{Iy} \frac{\partial^2 I}{\partial y^2} + k_I (A + B - I)(1 - I)$$

2014/4/2 17

### NetLogo Simulation of Reaction-Diffusion System

- Diffuse activator in X and Y directions
- Diffuse inhibitor in X and Y directions
- Each patch performs:
  - stimulation = bias + activator - inhibitor + noise
  - if stimulation > 0 then
    - set activator and inhibitor to 100
  - else
    - set activator and inhibitor to 0

2014/4/2 18

### Demonstration of NetLogo Program for Activator/Inhibitor Pattern Formation

[Run Pattern.nlogo](#)

2014/4/2 19

### Demonstration of NetLogo Program for Activator/Inhibitor Pattern Formation with Continuous State Change

[Run Activator-Inhibitor.nlogo](#)

2014/4/2 20

### Turing Patterns

- Alan Turing studied the mathematics of reaction-diffusion systems
- Turing, A. (1952). The chemical basis of morphogenesis. *Philosophical Transactions of the Royal Society B* **237**: 37–72.
- The resulting patterns are known as *Turing patterns*

2014/4/2 21

### A Key Element of Self-Organization

- Activation vs. Inhibition
- Cooperation vs. Competition
- Amplification vs. Stabilization
- Growth vs. Limit
- Positive Feedback vs. Negative Feedback
  - Positive feedback creates
  - Negative feedback shapes

2014/4/2 22

### Reaction-Diffusion Computing

- Has been used for image processing
  - diffusion  $\Rightarrow$  noise filtering
  - reaction  $\Rightarrow$  contrast enhancement
- Depending on parameters, RD computing can:
  - restore broken contours
  - detect edges
  - improve contrast


2014/4/2 23

### Image Processing in BZ Medium

- (A) boundary detection, (B) contour enhancement, (C) shape enhancement, (D) feature enhancement

2014/4/2 Image < Adamatzky, *Comp. in Nonlinear Media & Autom. Coll.* 24

### Voronoi Diagrams



- Given a set of generating points:
- Construct a polygon around each generating point of set, so all points in a polygon are closer to its generating point than to any other generating points.


2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      25

### Some Uses of Voronoi Diagrams

- Collision-free path planning
- Determination of service areas for power substations
- Nearest-neighbor pattern classification
- Determination of largest empty figure


2014/4/2      26

### Computation of Voronoi Diagram by Reaction-Diffusion Processor




2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      27

### Mixed Cell Voronoi Diagram




2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      28

### Path Planning via BZ medium: No Obstacles




2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      29

### Path Planning via BZ medium: Circular Obstacles




2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      30

### Mobile Robot with Onboard Chemical Reactor




2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      31

### Actual Path: Pd Processor




2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      32

### Actual Path: Pd Processor



2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      33

### Actual Path: BZ Processor



2014/4/2      Image < Adamatzky & al., *Reaction-Diffusion Computers*      34

## Bibliography for Reaction-Diffusion Computing

1. Adamatzky, Adam. *Computing in Nonlinear Media and Automata Collectives*. Bristol: Inst. of Physics Publ., 2001.
2. Adamatzky, Adam, De Lacy Costello, Ben, & Asai, Tetsuya. *Reaction Diffusion Computers*. Amsterdam: Elsevier, 2005.

➡

2014/4/2      35