


IV.B. Biological Neural Networks

1. Overview


4/3/16 1

A Very Brief Tour of Real Neurons



(and Real Brains)


► The Lobes of the Cerebral Hemispheres





Longitudinal fissure, Precentral gyrus, Central fissure, Postcentral gyrus, Precentral gyrus, Central fissure, Postcentral gyrus, Lateral fissure, Superior temporal gyrus, Cerebellum

Frontal lobe, Parietal lobe, Temporal lobe, Occipital lobe


4/3/16 (fig. from internet) 3







Overview of Brain to Neurons



<http://www.youtube.com/watch?v=DF04XPBj5uc>

4/3/16 (play flash video) 7


Animation of Neuron

- An animated film about nicotine addiction
- A good visualization of a single neuron
- ©2006, Hurd Studios
- Winner of NSF/AAAS Visualization Challenge

View Flash Video


4/3/16 8

Grey Matter vs. White Matter



4/3/16 (fig. from Carter 1998) 9


Neural Density in Cortex



- 148 000 neurons / sq. mm
- Hence, about 15 million / sq. cm

4/3/16 10

Cortical Areas



human (2200 sq. cm)


ape

cat or monkey

rat

4/3/16 11


Intercortical Connections



- (1) Short arcuate bundles, (2) Superior longitudinal fasciculus, (3) External capsule, (4) Inferior occipitofrontal fasciculus, (5) Uncinate fasciculus, (6) Sagittal stratum, (7) Inferior longitudinal fasciculus


4/3/16 12

Intercortical Connections (diffusion spectrum imaging)




G. Miller Science 330, 164 (2010) (2010)

4/3/16
Published by AAAS




Brodmann's Areas



4/3/16

14

Somatosensory & Motor Homunculi





4/3/16


15


2. Neurons


4/3/16 19












Minicolumn




Layer	Pyramidal Neurons	Interneurons
I	0	0
II-III	18	5
IVA	7	2
IVB	6	2
IVCa	7	1
IVCb	10	2
V	6	2
VI	8	1
VIb	2	1
TOTAL	64	18

- Up to ~100 neurons
 - 75-80% pyramidal
 - 20-25% interneurons
- 20-50μ diameter
- Length: 0.8 (mouse) to 3mm (human)
- ~ 6 × 10⁵ synapses
- 75-90% synapses outside minicolumn
- Interacts with 1.2 × 10⁵ other minicolumns
- Mutually excitable
- Also called *microcolumn*

4/3/16 25

Layers and Minicolumns



Intracortical Circuitry
CORTICAL SURFACE

Dendritic Bundle Minicolumns in V1

WHITE MATTER

INPUTS from thalamus to layer IV

V1 OUTPUTS to thalamus, basal ganglia, etc.

V OUTPUTS to spinal cord, some via white matter


Most corticocortical cells run horizontally but some run vertically

0.031 mm diameter

(fig. from Arbib 1995, p. 270)

4/3/16 26

Macrocolumns



Macrocolumn width: 600-800 μm

Interpatch distance


Microcolumn width: 60-90 μm


Intercolumnar distance


tangential dendritic spread

- ~ 70 inhibitorily-coupled minicolumns in humans
- 70% of minicol. connections are within macrocol.
- Basket neurons provide shunting inhibition between minicolumns
- Winner-takes-all networks
- Represent microfeatures


4/3/16 27








Synapses



video by Hybrid Medical Animation

4/3/16 31


Chemical Synapse




1. Action potential arrives at synapse
2. Ca ions enter cell
3. Vesicles move to membrane, release neurotransmitter
4. Transmitter crosses cleft, causes postsynaptic voltage change


4/3/16 32


Typical Receptor





4/3/16 33















Video of 3D Model



4/3/16 40


Input Signals

- Excitatory
 - about 85% of inputs
 - AMPA channels, opened by glutamate
- Inhibitory
 - about 15% of inputs
 - GABA channels, opened by GABA
 - produced by inhibitory interneurons
- Leakage
 - potassium channels
- Synaptic efficacy: net effect of:
 - presynaptic neuron to produce neurotransmitter
 - postsynaptic channels to bind it

4/3/16 41

Membrane Potential (Variables)

- g_e = excitatory conductance
- E_e = excitatory potential (~ 0 mV)
- g_i = inhibitory conductance
- E_i = inhibitory potential (-70 mV)
- g_l = leakage conductance
- E_l = leakage potential
- V_m = membrane potential
- θ = threshold



4/3/16 42

Membrane Potential

Currents: $I_x = g_x(E_x - V_m)$, $x = e, i, l$


Net current: $I_{net} = I_e + I_i + I_l$


Change in membrane potential: $\dot{V}_m = CI_{net}$ (C is rate constant)


$$\dot{V}_m = C[g_e(E_e - V_m) + g_i(E_i - V_m) + g_l(E_l - V_m)]$$


$$\text{Equilibrium } V_m = \frac{g_e E_e + g_i E_i + g_l E_l}{g_e + g_i + g_l}$$


4/3/16 43













Rate Code Approximation

- Rate-coded (simulated) neurons:
 - short-time avg spike frequency \approx
 - avg behavior of microcolumn (~100 neurons) with similar inputs and output behavior
- Rate not predicted well by V_m
- Predicted better by g_e relative to a threshold value g_e^θ



4/3/16 (Fig. < O'Reilly, Comp. Cog. Neurosci.) 49

Rate Code Approximation

- g_e^θ is the conductance when $V_m = \theta$

$$\theta = \frac{g_e^\theta E_e + g_i E_i + g_l E_l}{g_e^\theta + g_i + g_l}$$
- Rate is a nonlinear function of relative conductance

$$g_e^\theta = \frac{g_i (E_i - \theta) + g_l (E_l - \theta)}{\theta - E_e}$$
- What is f ?

$$y = f(g_e - g_e^\theta)$$


4/3/16 50

Activation Function

- Desired properties:
 - threshold (~0 below threshold)
 - saturation
 - smooth
$$y = \frac{x}{x+1} \text{ where } x = \eta [g_e - g_e^\theta]^+$$

$$y = \frac{1}{1 + \frac{1}{\eta [g_e - g_e^\theta]^+}}$$
- Smooth by convolution with Gaussian to account for noise
- Activity update:

$$y_{t+1} = y_t + C(y - y_t)$$



4/3/16 (fig. < O'Reilly, Comp. Cog. Neurosci.) 51