

D.2 Simon

Simon’s algorithm was first presented in 1994 and can be found in Simon, D. (1997), “On the power of quantum computation,” *SIAM Journ. Computing*, 26 (5), pp. 1474–83. The following presentation follows Mermin’s *Quantum Computer Science* (Mermin, 2007, §2.5, pp. 55–8).

- ¶1. For breaking RSA we will see that its useful to know the *period* of a function: that r such that $f(x + r) = f(x)$. Simon’s problem is a warmup for this.
- ¶2. **Simon’s Problem:** Suppose we are given an unknown function $f : 2^n \rightarrow 2^n$ and we are told that it is *two-to-one*. This means $f(\mathbf{x}) = f(\mathbf{y})$ iff $\mathbf{x} \oplus \mathbf{y} = \mathbf{r}$ for some fixed $\mathbf{r} \in 2^n$. The vector \mathbf{r} can be considered the *period* of f , since $f(\mathbf{x} \oplus \mathbf{r}) = f(\mathbf{x})$.
- ¶3. The problem is to determine the period \mathbf{r} of an unknown f .
- ¶4. **Classical solution:** Since we don’t know anything about f , the best we can do is evaluate it on random inputs. If we are ever lucky enough to find \mathbf{x} and \mathbf{x}' such that $f(\mathbf{x}) = f(\mathbf{x}')$, then we have our answer, $\mathbf{r} = \mathbf{x} \oplus \mathbf{x}'$.
- ¶5. On the average you need to do $2^{n/2}$ function evaluations, which is exponential in the size of the input. For $n = 100$, it would require about $2^{50} \approx 10^{15}$ evaluations. “At 10 million calls per second it would take about three years.” [MQCS 55]
- ¶6. **Quantum algorithm:** We will see that a quantum computer can determine \mathbf{r} with high probability ($> 1 - 10^{-6}$) in about 120 evaluations. At 10 million calls per second, this would take about 12 microseconds!
- ¶7. **Input superposition:** As before, start by using the Walsh-Hadamard transform to create a superposition of all possible inputs:

$$|\psi_1\rangle \stackrel{\text{def}}{=} H^{\otimes n}|0\rangle^{\otimes n} = \frac{1}{2^{n/2}} \sum_{\mathbf{x} \in 2^n} |\mathbf{x}\rangle.$$

- ¶8. **Function evaluation:** Suppose that U_f is the quantum gate array implementing f and recall $U_f|\mathbf{x}\rangle|\mathbf{y}\rangle = |\mathbf{x}\rangle|\mathbf{y} \oplus f(\mathbf{x})\rangle$. Therefore:

$$|\psi_2\rangle \stackrel{\text{def}}{=} U_f|\psi_1\rangle|0\rangle^{\otimes n} = \frac{1}{2^{n/2}} \sum_{\mathbf{x} \in 2^n} |\mathbf{x}\rangle|f(\mathbf{x})\rangle.$$

Therefore we have an equal superposition of corresponding input-output values.

- ¶9. **Output measurement:** Measure the output register (in the computational basis) to obtain some $|\mathbf{z}\rangle$.

Since the function is two-to-one, the projection will have a superposition of two inputs:

$$\frac{1}{\sqrt{2}}(|\mathbf{x}_0\rangle + |\mathbf{x}_0 \oplus \mathbf{r}\rangle)|\mathbf{z}\rangle,$$

where $f(\mathbf{x}_0) = \mathbf{z} = f(\mathbf{x}_0 \oplus \mathbf{r})$.

- ¶10. The information we need is contained in the input register,

$$|\psi_3\rangle \stackrel{\text{def}}{=} \frac{1}{\sqrt{2}}(|\mathbf{x}_0\rangle + |\mathbf{x}_0 \oplus \mathbf{r}\rangle),$$

but it cannot be extracted directly.

If we measure it, we will get either \mathbf{x}_0 or $\mathbf{x}_0 \oplus \mathbf{r}$, but not both, and we need both to get \mathbf{r} .

(We cannot make two copies, due to the no-cloning theorem.)

- ¶11. Suppose we apply the Walsh-Hadamard transform to this superposition:

$$\begin{aligned} H^{\otimes n}|\psi_3\rangle &= H^{\otimes n} \frac{1}{\sqrt{2}}(|\mathbf{x}_0\rangle + |\mathbf{x}_0 \oplus \mathbf{r}\rangle) \\ &= \frac{1}{\sqrt{2}}(H^{\otimes n}|\mathbf{x}_0\rangle + H^{\otimes n}|\mathbf{x}_0 \oplus \mathbf{r}\rangle). \end{aligned}$$

- ¶12. Now, recall (¶13, p. 144) that $H^{\otimes n}|\mathbf{x}\rangle = \frac{1}{2^{n/2}} \sum_{\mathbf{y} \in 2^n} (-1)^{\mathbf{x} \cdot \mathbf{y}} |\mathbf{y}\rangle$. Therefore,

$$\begin{aligned} H^{\otimes n}|\psi_3\rangle &= \frac{1}{\sqrt{2}} \left[\frac{1}{2^{n/2}} \sum_{\mathbf{y} \in 2^n} (-1)^{\mathbf{x}_0 \cdot \mathbf{y}} |\mathbf{y}\rangle + \frac{1}{2^{n/2}} \sum_{\mathbf{y} \in 2^n} (-1)^{(\mathbf{x}_0 + \mathbf{r}) \cdot \mathbf{y}} |\mathbf{y}\rangle \right] \\ &= \frac{1}{2^{(n+1)/2}} \sum_{\mathbf{y} \in 2^n} [(-1)^{\mathbf{x}_0 \cdot \mathbf{y}} + (-1)^{(\mathbf{x}_0 + \mathbf{r}) \cdot \mathbf{y}}] |\mathbf{y}\rangle. \end{aligned}$$

- ¶13. Note that $(-1)^{(\mathbf{x}_0 + \mathbf{r}) \cdot \mathbf{y}} = (-1)^{\mathbf{x}_0 \cdot \mathbf{y}} (-1)^{\mathbf{r} \cdot \mathbf{y}}$.

Therefore, if $\mathbf{r} \cdot \mathbf{y} = 1$, then the bracketed expression is 0 (since the

terms have opposite sign and cancel).

However, if $\mathbf{r} \cdot \mathbf{y} = 0$, then the bracketed expression is $2(-1)^{\mathbf{x}_0 \cdot \mathbf{y}}$ (since they don't cancel).

- ¶14. Hence the result of the Walsh-Hadamard transform is

$$|\psi_4\rangle = H^{\otimes n} |\psi_3\rangle = \frac{1}{2^{(n-1)/2}} \sum_{\mathbf{y} \text{ s.t. } \mathbf{r} \cdot \mathbf{y} = 0} (-1)^{\mathbf{x}_0 \cdot \mathbf{y}} |\mathbf{y}\rangle.$$

- ¶15. **Measurement:** Measuring the input register (in the computational basis) will collapse it with equal probability into a state $|\mathbf{y}^{(1)}\rangle$ such that $\mathbf{r} \cdot \mathbf{y}^{(1)} = 0$.

- ¶16. **First equation:** Since we know $\mathbf{y}^{(1)}$, this gives us some information about \mathbf{r} , expressed in the equation:

$$y_1^{(1)} r_1 + y_2^{(1)} r_2 + \cdots + y_n^{(1)} r_n = 0 \pmod{2}.$$

- ¶17. **Iteration:** The quantum computation can be repeated, producing a series of bit strings $\mathbf{y}^{(1)}, \mathbf{y}^{(2)}, \dots$ such that $\mathbf{y}^{(k)} \cdot \mathbf{r} = 0$.

From them we can build up a system of n linearly-independent equations and solve for \mathbf{r} .

(If you get a linearly-dependent equation, you have to try again.)

- ¶18. Note that each quantum step (involving one evaluation of f) produces an equation (except in the unlikely case $\mathbf{y}^{(k)} = 0$ or that it's linearly dep.), and therefore determines one of the bits in terms of the other bits.

That is, each iteration reduced the candidates for \mathbf{r} by approximately one-half.

- ¶19. **Probability:** A mathematical analysis (Mermin, 2007, App. G) shows that with $n+m$ iterations the probability of having enough information to determine \mathbf{r} is $> 1 - \frac{1}{2^{m+1}}$.

“Thus the odds are more than a million to one that with $n+20$ invocations of \mathbf{U}_f we will learn $[\mathbf{r}]$, no matter how large n may be.” (Mermin, 2007, p. 57)

- ¶20. **Exponential speedup:** Therefore Simon's problem can be solved in *linear* time on a quantum computer, but requires *exponential* time on a classical computer.