



# Solution of ECE 315 Test 5 F08

The first 6 graphs are of 6 discrete-time signals to convolve. (Each signal is zero outside the range graphed.) Below are 12 results of convolving pairs of signals (including a signal with itself). For each convolution result write in the labels of the two signals convolved to produce it. (1 pt each)




A*A	B*E	B*D	A*E
C*E	A*C	A*B	B*B
C*F	C*C	C*D	B*C




# Solution of ECE 315 Test 5 F08

The first 6 graphs are of 6 discrete-time signals to convolve. (Each signal is zero outside the range graphed.) Below are 12 results of convolving pairs of signals (including a signal with itself). For each convolution result write in the labels of the two signals convolved to produce it. (1 pt each)




A*E	C*D	B*F	B*E
C*C	B*C	A*A	A*D
A*C	B*B	B*D	C*F



# Solution of ECE 315 Test 5 F08

The first 6 graphs are of 6 discrete-time signals to convolve. (Each signal is zero outside the range graphed.) Below are 12 results of convolving pairs of signals (including a signal with itself). For each convolution result write in the labels of the two signals convolved to produce it. (1 pt each)



A\*E      C\*E      B\*E      B\*F  
 A\*D      C\*F      A\*F      B\*D  
 B\*B      C\*C      A\*B      A\*A

